GUIDE SPECIFICATION

5986

Stone Lite[®]

1.06 Quality Assurance

A. Qualifications:

- 1. Manufacturer Qualifications: Manufacturer shall have a minimum of 10 years demonstrated capability to produce natural stone honeycomb reinforced wall panel system of the quality and scope required. Manufacturer shall have completed independent laboratory tests verifying performance capabilities and shall be able to furnish a list of references and previous projects of similar size and scope. Manufacturer must have acceptance by the appropriate building code authority with established ongoing building authority quality control. Manufacturer shall be capable of providing detailed shop drawings, field service representation during construction, and approval of acceptable installers and approval of application method.
- Installer Qualifications: Installer to demonstrate experience (as determined by contractor) to perform work of this section and wht07adrs)=5dbail/deddin((thtri))=3(a)1141dn:6df,0edt)((strin))a2(BS(dr))@9886(c0.6044)1169/5(ds(4)966(b5(4)8)-9(6)4)119-9.56(d9)14(a)14)15(t)17966(hdd.)-69a6(0)-dt

3.03 Protection and Cleaning

- A. Protection: Protect installed product's finish surfaces from damage during construction. Protect stone facing from damage from harmful contaminants.
- B. Cleaning: Repair or replace damaged installed products. Clean installed products in accordance with manufacturer's instructions prior to owner's acceptance. Remove construction debris from project site and legally dispose of debris.

DISCLAIMER STATEMENT

This guide specification is intended for use by a qualified construction Specifier. The guide specification is not intended to be verbatim as a project specification without appropriate modifications for the specific use intended. The guide specification must be used and coordinated with the procedures of each design firm, and the particular requirements of a specific construction project.

END OF SECTION 07 42 00