

SRC PARAPET WALL CLAMP-ON RAILING SYSTEM SPECIFICATION SAFETY RAIL COMPANY

PART 1 GENERAL

1.1 SECTION INCLUDES

- A. SRC Parapet Wall Clamp-on Railing System for roof edge fall protection.

1.2 REFERENCES

- A. Occupational Safety & Health Administration (OSHA):
 1. 29 CFR 1910.28(b) – Duty to Have Fall Protection and Falling Object Protection
 2. 29 CFR 1910.29(d) – Fall Protection Systems and Falling Object Protection-
criteria and practices.
 3. 29 CFR 1910.23 – Walking-Working Surfaces - Fixed Ladders.
 4. 29 CFR 1926.500 - Scope, Application, Definitions Applicable to this Subpart.
 5. 29 CFR 1926.501 - Duty to Have Fall Protection.
 6. 29 CFR 1926.502 - Fall Protection Systems Criteria and Practices.
 7. 29 CFR 1926.503 - Training Requirements.
- B. California Occupational Safety & Health Administration (CAL OSHA):
 1. 1620 - Design of Temporary Railing.
 2. 1621 - Railings and Toe Boards.
 3. 1633 - Elevator Shafts to be Guarded.
 4. 3209 - Standard Guardrails.
 5. 3210 - Guardrails at Elevated Locations.
 6. 3211 - Wall Openings.
 7. 3212 - Floor Openings, Floor Holes and Roofs.
 8. 3213 - Service Pits and Yard Surface Openings.
 9. 3214 - Stair Rails and Handrails.

1.3 SUBMITTALS

- A. Manufacturer's data sheets on each product to be used, including:
 1. Preparation instructions and recommendations.
 2. Storage and handling requirements and recommendations.
 3. Installation methods.

- B. Shop Drawings: Drawings showing plans, elevations, sections and details of components.

1.4 DELIVERY, STORAGE, AND HANDLING

- A. Deliver materials to the job site in good condition and adequately protected against damage as handrails are a finished product.
- B. Inspect rail sections for damage before signing the receipt from the trucking company. Truck driver must note damaged goods on the bill of lading if damaged product is found.
- C. Store products in manufacturer's unopened packaging until ready for installation.

1.5 PROJECT CONDITIONS

- A. Field Measurements: Where handrails and railings are indicated to fit to other construction, check actual dimensions of other construction by accurate field measurements before fabrication.

1.6 WARRANTY

- A. Warranty: Provide manufacturer's two (2) year warranty.

PART 2 PRODUCTS

2.1 MANUFACTURERS

- A. Acceptable Manufacturer: Safety Rail Company, LLC. which is located at: 4244 Shoreline Drive, Spring Park, MN 55384; Toll Free Tel: 888-434-

